

Letter openers

Speed up the processing of your incoming mail with a compact and easy to use automatic letter opener from My Mailing Room



"A letter opener from My Mailing Room can save hours of your team's precious time and means you can respond much faster to documents and letters arriving by post".

Lindsey Mepstead - Senior Account Manager



LP16

single-sided letter opener

- Automates task of opening incoming mail
- Protects valuable contents from damage
- Handles mixed mail without pre-sorting

The LP16 letter opener can operate at speeds of up to 300 letters per minute, so opened mail is delivered faster. Easy-to-use and reliable, it can handle mixed mail without pre-sorting, and opens a wide range of envelope sizes. Its efficiency gives your staff time to concentrate on more productive work.

Protect valuable contents

While conventional letter openers can easily damage contents, the LP16 uses an innovative method to neatly slit one side of the envelope, leaving no sharp borders. This means the contents are left undamaged and ensures safe handling; and its unique anti-jamming device easily copes with paperclips and staples.



Specifications

Speed up to 300 letters per minute

Easy to use

Full mixed and standard mail capability

Unique opening mechanism

1 sided opening

Counter

Operator adjustable speed

Low noise level

Quick, safe and easy access to paper path

Compact desktop system

Envelopes

Envelope size (min): 90 x 140mm

Envelope size (max): 260 x 330mm

Thickness (max): 4mm

Dimensions

H, D, W 230 x 388 x 825mm (with catch tray)

Weight 7kg (without catch tray)



LP19

heavy duty letter opener

- Heavy duty - better performance and longer life
- Milling technology - to protect envelope contents
- High speed - up to 400 envelopes per minute
- No requirement for pre-sorting

The heavy duty LP19 automatic letter opener will open your post quickly and efficiently removing the slow process of manually opening the post.

The new milling technology instead of cutting using blades removes 3mm from the envelope edge and the built-in separator ensures that only one envelope is processed at a time. For you this means that you can be confident that every envelope processed will be opened, the machine will handle all of your mail and, most importantly, the documents inside are protected.

Much faster than by hand

At 400 envelopes per minute, the LP19 is much faster than using your team to open the mail. Designed to be easy to operate, you just load your unopened mail onto the machine and it does the rest. There is no need for pre-sorting either as the machine handles envelopes of different sizes and thickness.

Specifications


400 items per minute
Large envelope hopper
Full mixed and standard mail capability
Milling cutter mechanism
1 sided opening
Low noise level - Standby 63dB, Operating 78dB
20,000 items per day duty cycle

Envelopes

Envelope size (max): 260 x 330mm
Thickness (max): up to 6mm

Dimensions

L, W, H 710 x 460 x 335mm
Weight 36kg



LP22 & LP27

high speed letter opener

- High speed - opens 10 envelopes per second
- Milling technology - to protect envelope contents
- Reverse conveyor stacker with LP27
- No requirement for pre-sorting



The LP22 and LP27 high-speed automatic letter openers are crucial for the efficiency of your post room if you are handling high quantities of mail.

Using milling cutting it can process 10 envelopes per second so it is extremely fast yet does not require pre-sorting. This means you just load the envelopes and use the simple touchscreen to control the feeders and counters.

After cleanly slicing the edge of the envelope the processed items are neatly stacked in the LP22's separate catch tray, or for larger volumes the LP27 can easy stack the opened envelopes using the built-in reverse conveyor.

Not sure which model is right for you? Our team is ready to help and can guide you through the options to ensure you get the correct machine.

Specifications	LP22	LP27
Processing speed	32,000 p/hr	36,000 p/hr
Catch tray capacity	80 DL Envelopes	80 DL Envelopes
Counter	Normal, rate, Batch, lifetime	Normal, rate, Batch, lifetime
Feed modes	Basic, On delay, On demand	Basic, On delay, On demand
Envelope size (max)	260 x 330mm	260 x 330mm
Envelope thickness		
Auto feed (max)	4mm	4mm
Manual feed (max)	6mm	6mm
Dimensions		
Length	1070mm	1070mm
Width	750mm	750mm
Height	1065mm	1195mm
Weight	90kg	118kg
Motor	Brushless DC	Brushless DC
Safety	Jam and idle shut off	Jam and idle shut off
Milling cutter	On/Off selectable (feeding only)	On/Off selectable (feeding only)
Conveyor type	Non available	Non available



LP22

LP22
with reverse flow conveyor



LP30 & LP35

1, 2 and 3 sided letter opener

The LP30 and LP35 can easily handle full mixed and standard mail, without changing any settings. Simply load your envelopes and the machine automatically feeds and opens the envelopes on 1, 2 or 3 sides, or can even extract the contents!

Easy to operate

The clear and simple control panel is self-explanatory and applications can be changed at the touch of a button. The user can concentrate on the core task: sorting and distributing the incoming mail as quickly and as accurately as possible.

Protecting your documents

To ensure that none of your important or valuable documents are lost during extraction, envelopes are sliced on three sides and unfolded for visual control (standard on LP35). As an option, an electro-mechanical document detection with four detectors can be supplied.

Several operating modes

The LP30 and LP35 have several operating modes. The machine can be operated either at an adjustable continuous speed or at operator pace by using a unique sensor-driven envelope-transport methodology.



Specifications

- 2,400 p/hr (LP30)
- 2,000 p/hr (LP35)
- Large envelope hopper
- Full mixed and standard mail capability
- Unique slicing mechanism
- 1, 2 or 3 sided opening
- No production of scrap paper, dust, sharp edges
- Pre-programmed jobs
- Document extraction (LP35)
- Stop counter (LP30)
- Operator adjustable speed
- Sensor-driven envelope transport (LP35)
- Low noise level
- Self explanatory display
- Visual contents check (LP35)
- Quick, safe and easy access to paper path
- Compact desktop system
- Conveyor belt (optional)

Envelopes

Height	85-175mm
Width	140-260mm
Thickness	up to 4mm
Weight	50-200gsm

Dimensions

L, W, H	996 x 564 x 324mm
Weight	63-66kg



Why choose My Mailing Room?

Quality equipment

Great customer service

Clear and transparent contracts

Dedicated account management
and a friendly team

To find out more about us and our equipment or to get a quotation for any equipment you have seen in this brochure please give our friendly team a call on **01322 288890**.

Also from My Mailing Room...



Franking machines
Folding and inserting machines
Volume Related Discounts
Mailroom Security
Print Solutions

www.mymailingroom.com

01322 288890